





ECO Rose set OKL Magis

Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR



Rose set OKL Magis




Rose set with PZ-hole

Material: Stainless steel

- Complete set incl. steel ground rose and screws
- Edge radius: 0,5 mm ▪ Door thickness TS: 38 - 45 mm
- Rose depth: 9 mm ▪ Further door thicknesses on request



Execution	OKL Magis
ER	5030022436





Rose set with BB-hole

Material: Stainless steel

- Complete set incl. steel ground rose and screws
- Edge radius: 0,5 ▪ Door thickness TS: 38 - 45 mm
- Rose depth: 9 mm ▪ Further door thicknesses on request



Execution	OKL Magis
ER	5030026402





Rose set UG

Material: Stainless steel

- Complete set incl. steel ground rose and screws
- Edge radius: 0,5 ▪ Door thickness TS: 38 - 45 mm
- Rose depth: 9 mm ▪ Further door thicknesses on request



Execution	OKL Magis
ER	5030047413




WC-Set SK

Material: Stainless steel

- Complete set incl. steel ground rose and screws
- Edge radius: 0,5 ▪ Door thickness TS: 38 - 42 mm
- Rose depth: 9 mm ▪ Further door thicknesses on request



Execution	OKL Magis
ER	5030021253



ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/9276-0
Fax: +49 2373/9276-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change